

ECORIGID®

100% PVC-FREE Bumper, Base,
Ends and Corner

The ecoRigid® bumper system is manufactured from 100% PVC-free PolyBostylene®. Engineered for flat surface applications, the ecoRigid® system provides a high level of impact resistance for your walls, fixtures and corners.



Applying ingenuity around the world.

Boston Group provides total solutions to energize environments, protect assets and support unique shopping or working experience. We listen carefully, look beyond the challenge and come up with smart solutions, exploring new domains every day together with you. From initial concept to full product rollout we expertly guide the process to deliver the right solutions for your needs.



PROTECT



POWER



PROTECT



FIXTURE



Boston Group

Corporate Headquarters 3 Highwood West, Suite 100, Tewksbury, MA 01876 Tel. 781-395-7417 — 800-225-1633 (toll-free) — sales.us@boston-group.com

European Headquarters Sydneystraat 15, Rotterdam, 3047 BP, Netherlands Tel. +31 10 238 14 00 — sales.emea@boston-group.com • www.boston-group.com




























MADE IN THE USA

ECORIGID®

100% PVC-FREE Bumper, Base, Ends and Corners

XXX Denotes that a color tab must be added to the part number at the end of the time of ordering. Custom and standard colors require minimum lead time and quantities. See separate color chart for colour options.

Some colors available in virgin material only. Check with our customer service.

	Top	Base	Base	End Cap	End Cap	Corner Cap	Corner Cap
 <p>EcoRigid® 1000</p>	 <p>1.110" (28.19 mm) 0.843" (21.41 mm) 0.843" (21.41 mm)</p>	 <p>0.874" (22.2 mm) 0.410" (10.41 mm) 0.410" (10.41 mm)</p>	 <p>0.874" (22.2 mm) 0.410" (10.41 mm) 0.410" (10.41 mm)</p>	 <p>2.25" (57.1 mm) 0.843" (21.4 mm)</p>	 <p>2.5" (63.5 mm) 0.843" (21.4 mm)</p>	 <p>2.0" (50.8 mm) 1.343" (34.1 mm)</p>	 <p>2.0" (50.8 mm)</p>
 <p>EcoRigid® 2000</p>	 <p>1.99" (50.546 mm) 0.995" (25.27 mm) 0.995" (25.27 mm)</p>	 <p>1.65" (41.91 mm) 0.370" (9.40 mm) 0.370" (9.40 mm)</p>	 <p>1.65" (41.91 mm) 0.370" (9.40 mm) 0.370" (9.40 mm)</p>	 <p>1.80" (45.72 mm) 0.995" (25.27 mm)</p>	 <p>3.0" (76.2 mm) 0.995" (25.27 mm)</p>	 <p>2.0" (50.8 mm) 0.995" (25.27 mm)</p>	 <p>2.0" (50.8 mm)</p>
 <p>EcoRigid® 3000</p>	 <p>2.94" (74.7 mm) 1.00" (25.4 mm) 1.00" (25.4 mm)</p>	 <p>2.37" (60.20 mm) 0.465" (11.8 mm)</p>	 <p>2.37" (60.20 mm) 0.465" (11.8 mm)</p>	 <p>2.58" (65.4 mm) 1.00" (25.4 mm)</p>	 <p>1.00" (25.4 mm) 1.00" (25.4 mm)</p>		
 <p>EcoRigid® 3050</p>	 <p>3.00" (76.20 mm) 0.750" (19.05 mm) 0.750" (19.05 mm)</p>	 <p>2.37" (60.20 mm) 0.25" (6.35 mm)</p>		 <p>4.00" (101.6 mm) 0.75" (19.05 mm)</p>	 <p>3.50" (88.90 mm) 0.75" (19.05 mm)</p>		



POWER



PROTECT



FIXTURE

Boston Group



Corporate Headquarters 3 Highwood West, Suite 100, Tewksbury, MA 01876 Tel. 781-395-7417 — 800-225-1633 (toll-free) — sales.us@boston-group.com

European Headquarters Sydneystraat 15, Rotterdam, 3047 BP, Netherlands Tel. +31 10 238 14 00 — sales.emea@boston-group.com. www.boston-group.com

MADE IN THE USA

ECORIGID®

100% PVC-FREE Bumper, Base, Ends and Corner

- 100% pvc-free PolyBostylene® bumper, base, ends and corners (aluminum base option available).
- Engineered for flat surface applications.
- A 100% recyclable, sustainable material.
- RoHS Compliant.
- Free of Chlorine and Bromine hazardous chemicals.
- Compatible with all ecoFlex® and traditional Boston Bumper® parts.
- Does not cost a premium. Costs 15% less than traditional Boston Bumper®.
- Weighs 1/4 less than traditional rigid bumper, saving on freight costs.
- All PolyBostylene® base channels contributes towards LEED Materials & Resources: credit 5.1 & 5.2, Manufactured Regionally.
- UL-94HB Fire Rating.
- Simple installation with a pre-slotted base channel.
- High impact resistance.
- Vast color options.



PROTECT

**RoHS
Compliant**



POWER



PROTECT



FIXTURE



Boston Group

Corporate Headquarters 3 Highwood West, Suite 100, Tewksbury, MA 01876 Tel. 781-395-7417 — 800-225-1633 (toll-free) — sales.us@boston-group.com

European Headquarters Sydneystraat 15, Rotterdam, 3047 BP, Netherlands Tel. +31 10 238 14 00 — sales.emea@boston-group.com • www.boston-group.com